Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2005 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Air conditioning
Pilot Study for the Performance of a New Demand Control Ventilation System in Hong Kong. — Kwok-Wai Mui and Wai-Tin Chan; 11(3), 110-5 (2005).

Air flow
Airtightness Testing of Two- and Three-Unit Buildings with a Single Fan. — Sebastiano DePani and Paul Fazio; 11(1), 19-24 (2005).
Choosing the Right Parameter for Single-Duct Constant Air Volume System Supply Air Temperature Reset. — G. Wei, D. E. Claridge, W. D. Turner, and M. Liu; 11(3), 76-80 (2005).

Air temperature
Choosing the Right Parameter for Single-Duct Constant Air Volume System Supply Air Temperature Reset. — G. Wei, D. E. Claridge, W. D. Turner, and M. Liu; 11(3), 76-80 (2005).

Airport terminals
Assessment of Fire Hazard in Small News Agents in Transport Terminal Halls. — W. K. Chow; 11(1), 35-8 (2005).

Asia
Assessment of Fire Hazard in Small News Agents in Transport Terminal Halls. — W. K. Chow; 11(1), 35-8 (2005).

Building design
Energy and Emission Estimator: A Prototype Tool for Designing Canadian Houses. — R. Baouendi, R. Zmeureanu, and B. Bradley; 11(2), 50-9 (2005).
Integrated Evaluation of a Photovoltaic Installation. — Ali M. Malkawi, Yun Kyu Yi, and Geoffrey Lewis; 11(4), 131-8 (2005).

Buildings, office
Pilot Study for the Performance of a New Demand Control Ventilation System in Hong Kong. — Kwok-Wai Mui and Wai-Tin Chan; 11(3), 110-5 (2005).

Buildings, residential
Airtightness Testing of Two- and Three-Unit Buildings with a Single Fan. — Sebastiano DePani and Paul Fazio; 11(1), 19-24 (2005).
Operational Life-Cycle Assessment and Life-Cycle Cost Analysis for Water Use in Multioccupant Buildings. — Angela Arpke and Neil Hutzler; 11(3), 99-109 (2005).

Canada
Energy and Emission Estimator: A Prototype Tool for Designing Canadian Houses. — R. Baouendi, R. Zmeureanu, and B. Bradley; 11(2), 50-9 (2005).

Carbon dioxide
Pilot Study for the Performance of a New Demand Control Ventilation System in Hong Kong. — Kwok-Wai Mui and Wai-Tin Chan; 11(3), 110-5 (2005).

Ceilings
Two Studies that Investigate the Impact of Ceiling and Wall Reflectance Values on LEED Credits. — Youn Ju Yoon and Martin Moeck; 11(3), 81-90 (2005).

China
Assessment of Fire Hazard in Small News Agents in Transport Terminal Halls. — W. K. Chow; 11(1), 35-8 (2005).

Computer aided instruction
Development of a Virtual Reality Structural Analysis System. — Mehdi Setareh, Doug A. Bowman, and Alex Kalita; 11(4), 156-64 (2005).
Application of a Virtual Environment System in Building Sciences Education. — Mehdi Setareh, Doug A. Bowman, Alex Kalita, Matthew Gracey, and John Lucas; 11(4), 165-72 (2005).

Concrete structures
Development of Energy-Efficient Concrete Buildings Using Recycled Plastic Aggregates. — M. Elzafraney, P. Soroushian, and M. Deru; 11(4), 122-30 (2005).

Construction
Interstitial Space Design in Modern Laboratories. — Sandra L. Vondrak and David R. Riley; 11(2), 60-70 (2005).

Construction materials
Material Requirements Planning for a Manufactured Housing Facility. — Edgar M. Barriga, Jae G. Jeong, Makarand Hastak, and Matt Syal; 11(3), 91-8 (2005).
Investigation into the Variations of Moisture Content of Two Buildings Constructed with Light Earth Walls. — Steven Goodhew, Richard Griffiths, and Chris Morgan; 11(4), 147-55 (2005).

Construction methods
Integrating Laser Scanning and Rapid Prototyping to Enhance Construction Modeling. — Jim Goedert, John Bonsell, and Fasineh Samura; 11(2), 71-4 (2005).

Control systems
Choosing the Right Parameter for Single-Duct Constant Air Volume System Supply Air Temperature Reset. — G. Wei, D. E. Claridge, W. D. Turner, and M. Liu; 11(3), 76-80 (2005).
Material Requirements Planning for a Manufactured Housing Facility. — Edgar M. Barriga, Jae G. Jeong, Makarand Hastak, and Matt Syal; 11(3), 91-8 (2005).

Cooling
Choosing the Right Parameter for Single-Duct Constant Air Volume System Supply Air Temperature Reset. — G. Wei, D. E. Claridge, W. D. Turner, and M. Liu; 11(3), 76-80 (2005).

Cooling systems
Development of Energy-Efficient Concrete Buildings Using Recycled Plastic Aggregates. — M. Elzafraney, P. Soroushian, and M. Deru; 11(4), 122-30 (2005).

Costs
Energy and Emission Estimator: A Prototype Tool for Designing Canadian Houses. — R. Baouendi, R. Zmeureanu, and B. Bradley; 11(2), 50-9 (2005).

Damage patterns
Static Behavior of a Historic Roof Structure. — C. Thelin and K.-G. Olsson; 11(2), 39-49 (2005).

Database
Material Requirements Planning for a Manufactured Housing Facility. — Edgar M. Barriga, Jae G. Jeong, Makarand Hastak, and Matt Syal; 11(3), 91-8 (2005).

Debris
Lessons Learned from Failures of the Building Envelope in Windstorms. — Joseph E. Minor; 11(1), 10-3 (2005).

Decision making
Promising New Tool for Stakeholder Interaction. — Cynthia J. Wilson Orndoff; 11(4), 139-46 (2005).

Degradation
Investigation into the Variations of Moisture Content of Two Buildings Constructed with Light Earth Walls. — Steven Goodhew, Richard Griffiths, and Chris Morgan; 11(4), 147-55 (2005).

Design
Manufactured Housing Production Layout Design. — N. Mehrotra, M. Syal, and M. Hastak; 11(1), 25-34 (2005).

Design criteria
Two Studies that Investigate the Impact of Ceiling and Wall Reflectance Values on LEED Credits. — Youn Ju Yoon and Martin Moeck; 11(3), 81-90 (2005).

Design improvements
Two Studies that Investigate the Impact of Ceiling and Wall Reflectance Values on LEED Credits. — Youn Ju Yoon and Martin Moeck; 11(3), 81-90 (2005).

Digital techniques
Integrating Laser Scanning and Rapid Prototyping to Enhance Construction Modeling. — Jim Goedert, John Bonsell, and Fasineh Samura; 11(2), 71-4 (2005).

Dynamic properties
Walking-Induced Floor Vibration Case Studies. — Linda M. Hanagan; 11(1), 14-8 (2005).

Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2005 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Air conditioning
Pilot Study for the Performance of a New Demand Control Ventilation System in Hong Kong. — Kwok-Wai Mui and Wai-Tin Chan; 11(3), 110-5 (2005).

Air flow
Airtightness Testing of Two- and Three-Unit Buildings with a Single Fan. — Sebastiano DePani and Paul Fazio; 11(1), 19-24 (2005).
Choosing the Right Parameter for Single-Duct Constant Air Volume System Supply Air Temperature Reset. — G. Wei, D. E. Claridge, W. D. Turner, and M. Liu; 11(3), 76-80 (2005).

Air temperature
Choosing the Right Parameter for Single-Duct Constant Air Volume System Supply Air Temperature Reset. — G. Wei, D. E. Claridge, W. D. Turner, and M. Liu; 11(3), 76-80 (2005).

Airport terminals
Assessment of Fire Hazard in Small News Agents in Transport Terminal Halls. — W. K. Chow; 11(1), 35-8 (2005).

Asia
Assessment of Fire Hazard in Small News Agents in Transport Terminal Halls. — W. K. Chow; 11(1), 35-8 (2005).

Building design
Energy and Emission Estimator: A Prototype Tool for Designing Canadian Houses. — R. Baouendi, R. Zmeureanu, and B. Bradley; 11(2), 50-9 (2005).
Integrated Evaluation of a Photovoltaic Installation. — Ali M. Malkawi, Yun Kyu Yi, and Geoffrey Lewis; 11(4), 131-8 (2005).

Buildings, office
Pilot Study for the Performance of a New Demand Control Ventilation System in Hong Kong. — Kwok-Wai Mui and Wai-Tin Chan; 11(3), 110-5 (2005).

Buildings, residential
Airtightness Testing of Two- and Three-Unit Buildings with a Single Fan. — Sebastiano DePani and Paul Fazio; 11(1), 19-24 (2005).
Operational Life-Cycle Assessment and Life-Cycle Cost Analysis for Water Use in Multioccupant Buildings. — Angela Arpke and Neil Hutzler; 11(3), 99-109 (2005).

Canada
Energy and Emission Estimator: A Prototype Tool for Designing Canadian Houses. — R. Baouendi, R. Zmeureanu, and B. Bradley; 11(2), 50-9 (2005).

Carbon dioxide
Pilot Study for the Performance of a New Demand Control Ventilation System in Hong Kong. — Kwok-Wai Mui and Wai-Tin Chan; 11(3), 110-5 (2005).

Ceilings
Two Studies that Investigate the Impact of Ceiling and Wall Reflectance Values on LEED Credits. — Youn Ju Yoon and Martin Moeck; 11(3), 81-90 (2005).

China
Assessment of Fire Hazard in Small News Agents in Transport Terminal Halls. — W. K. Chow; 11(1), 35-8 (2005).

Computer aided instruction
Development of a Virtual Reality Structural Analysis System. — Mehdi Setareh, Doug A. Bowman, and Alex Kalita; 11(4), 156-64 (2005).
Application of a Virtual Environment System in Building Sciences Education. — Mehdi Setareh, Doug A. Bowman, Alex Kalita, Matthew Gracey, and John Lucas; 11(4), 165-72 (2005).

Concrete structures
Development of Energy-Efficient Concrete Buildings Using Recycled Plastic Aggregates. — M. Elzafraney, P. Soroushian, and M. Deru; 11(4), 122-30 (2005).

Construction
Interstitial Space Design in Modern Laboratories. — Sandra L. Vondrak and David R. Riley; 11(2), 60-70 (2005).

Construction materials
Material Requirements Planning for a Manufactured Housing Facility. — Edgar M. Barriga, Jae G. Jeong, Makarand Hastak, and Matt Syal; 11(3), 91-8 (2005).
Investigation into the Variations of Moisture Content of Two Buildings Constructed with Light Earth Walls. — Steven Goodhew, Richard Griffiths, and Chris Morgan; 11(4), 147-55 (2005).

Construction methods
Integrating Laser Scanning and Rapid Prototyping to Enhance Construction Modeling. — Jim Goedert, John Bonsell, and Fasineh Samura; 11(2), 71-4 (2005).

Control systems
Choosing the Right Parameter for Single-Duct Constant Air Volume System Supply Air Temperature Reset. — G. Wei, D. E. Claridge, W. D. Turner, and M. Liu; 11(3), 76-80 (2005).
Material Requirements Planning for a Manufactured Housing Facility. — Edgar M. Barriga, Jae G. Jeong, Makarand Hastak, and Matt Syal; 11(3), 91-8 (2005).

Cooling
Choosing the Right Parameter for Single-Duct Constant Air Volume System Supply Air Temperature Reset. — G. Wei, D. E. Claridge, W. D. Turner, and M. Liu; 11(3), 76-80 (2005).

Cooling systems
Development of Energy-Efficient Concrete Buildings Using Recycled Plastic Aggregates. — M. Elzafraney, P. Soroushian, and M. Deru; 11(4), 122-30 (2005).

Costs
Energy and Emission Estimator: A Prototype Tool for Designing Canadian Houses. — R. Baouendi, R. Zmeureanu, and B. Bradley; 11(2), 50-9 (2005).

Damage patterns
Static Behavior of a Historic Roof Structure. — C. Thelin and K.-G. Olsson; 11(2), 39-49 (2005).

Database
Material Requirements Planning for a Manufactured Housing Facility. — Edgar M. Barriga, Jae G. Jeong, Makarand Hastak, and Matt Syal; 11(3), 91-8 (2005).

Debris
Lessons Learned from Failures of the Building Envelope in Windstorms. — Joseph E. Minor; 11(1), 10-3 (2005).

Decision making
Promising New Tool for Stakeholder Interaction. — Cynthia J. Wilson Orndoff; 11(4), 139-46 (2005).

Degradation
Investigation into the Variations of Moisture Content of Two Buildings Constructed with Light Earth Walls. — Steven Goodhew, Richard Griffiths, and Chris Morgan; 11(4), 147-55 (2005).

Design
Manufactured Housing Production Layout Design. — N. Mehrotra, M. Syal, and M. Hastak; 11(1), 25-34 (2005).

Design criteria
Two Studies that Investigate the Impact of Ceiling and Wall Reflectance Values on LEED Credits. — Youn Ju Yoon and Martin Moeck; 11(3), 81-90 (2005).

Design improvements
Two Studies that Investigate the Impact of Ceiling and Wall Reflectance Values on LEED Credits. — Youn Ju Yoon and Martin Moeck; 11(3), 81-90 (2005).

Digital techniques
Integrating Laser Scanning and Rapid Prototyping to Enhance Construction Modeling. — Jim Goedert, John Bonsell, and Fasineh Samura; 11(2), 71-4 (2005).

Dynamic properties
Walking-Induced Floor Vibration Case Studies. — Linda M. Hanagan; 11(1), 14-8 (2005).

Earthquake simulation models
Application of a Virtual Environment System in Building Sciences Education. — Mehdi Setareh, Doug A. Bowman, Alex Kalita, Matthew Gracey, and John Lucas; 11(4), 165-72 (2005).

Earthquakes
Development of a Virtual Reality Structural Analysis System. — Mehdi Setareh, Doug A. Bowman, and Alex Kalita; 11(4), 156-64 (2005).

Electrical systems
Interstitial Space Design in Modern Laboratories. — Sandra L. Vondrak and David R. Riley; 11(2), 60-70 (2005).

Emissions
Energy and Emission Estimator: A Prototype Tool for Designing Canadian Houses. — R. Baouendi, R. Zmeureanu, and B. Bradley; 11(2), 50-9 (2005).

Energy conservation
Pilot Study for the Performance of a New Demand Control Ventilation System in Hong Kong. — Kwok-Wai Mui and Wai-Tin Chan; 11(3), 110-5 (2005).
Development of Energy-Efficient Concrete Buildings Using Recycled Plastic Aggregates. — M. Elzafraney, P. Soroushian, and M. Deru; 11(4), 122-30 (2005).

Energy consumption
Energy and Emission Estimator: A Prototype Tool for Designing Canadian Houses. — R. Baouendi, R. Zmeureanu, and B. Bradley; 11(2), 50-9 (2005).
Choosing the Right Parameter for Single-Duct Constant Air Volume System Supply Air Temperature Reset. — G. Wei, D. E. Claridge, W. D. Turner, and M. Liu; 11(3), 76-80 (2005).
Operational Life-Cycle Assessment and Life-Cycle Cost Analysis for Water Use in Multioccupant Buildings. — Angela Arpke and Neil Hutzler; 11(3), 99-109 (2005).
Integrated Evaluation of a Photovoltaic Installation. — Ali M. Malkawi, Yun Kyu Yi, and Geoffrey Lewis; 11(4), 131-8 (2005).

Energy storage
Development of Energy-Efficient Concrete Buildings Using Recycled Plastic Aggregates. — M. Elzafraney, P. Soroushian, and M. Deru; 11(4), 122-30 (2005).

Engineering education
Application of a Virtual Environment System in Building Sciences Education. — Mehdi Setareh, Doug A. Bowman, Alex Kalita, Matthew Gracey, and John Lucas; 11(4), 165-72 (2005).

Envelope
Lessons Learned from Failures of the Building Envelope in Windstorms. — Joseph E. Minor; 11(1), 10-3 (2005).

Environmental impacts
Energy and Emission Estimator: A Prototype Tool for Designing Canadian Houses. — R. Baouendi, R. Zmeureanu, and B. Bradley; 11(2), 50-9 (2005).
Operational Life-Cycle Assessment and Life-Cycle Cost Analysis for Water Use in Multioccupant Buildings. — Angela Arpke and Neil Hutzler; 11(3), 99-109 (2005).

Environmental issues
Investigation into the Variations of Moisture Content of Two Buildings Constructed with Light Earth Walls. — Steven Goodhew, Richard Griffiths, and Chris Morgan; 11(4), 147-55 (2005).

Evaluation
Integrated Evaluation of a Photovoltaic Installation. — Ali M. Malkawi, Yun Kyu Yi, and Geoffrey Lewis; 11(4), 131-8 (2005).

Fans
Airtightness Testing of Two- and Three-Unit Buildings with a Single Fan. — Sebastiano DePani and Paul Fazio; 11(1), 19-24 (2005).

Field investigations
Airtightness Testing of Two- and Three-Unit Buildings with a Single Fan. — Sebastiano DePani and Paul Fazio; 11(1), 19-24 (2005).

Finite element method
Static Behavior of a Historic Roof Structure. — C. Thelin and K.-G. Olsson; 11(2), 39-49 (2005).

Fire hazards
Assessment of Fire Hazard in Small News Agents in Transport Terminal Halls. — W. K. Chow; 11(1), 35-8 (2005).

Floors
Walking-Induced Floor Vibration Case Studies. — Linda M. Hanagan; 11(1), 14-8 (2005).

Grid systems
Integrated Evaluation of a Photovoltaic Installation. — Ali M. Malkawi, Yun Kyu Yi, and Geoffrey Lewis; 11(4), 131-8 (2005).

Heating
Choosing the Right Parameter for Single-Duct Constant Air Volume System Supply Air Temperature Reset. — G. Wei, D. E. Claridge, W. D. Turner, and M. Liu; 11(3), 76-80 (2005).

Highway construction
Promising New Tool for Stakeholder Interaction. — Cynthia J. Wilson Orndoff; 11(4), 139-46 (2005).

Hong Kong
Pilot Study for the Performance of a New Demand Control Ventilation System in Hong Kong. — Kwok-Wai Mui and Wai-Tin Chan; 11(3), 110-5 (2005).

Housing
Manufactured Housing Production Layout Design. — N. Mehrotra, M. Syal, and M. Hastak; 11(1), 25-34 (2005).

Hurricanes
Lessons Learned from Failures of the Building Envelope in Windstorms. — Joseph E. Minor; 11(1), 10-3 (2005).

Illinois
Promising New Tool for Stakeholder Interaction. — Cynthia J. Wilson Orndoff; 11(4), 139-46 (2005).

Imaging techniques
Integrating Laser Scanning and Rapid Prototyping to Enhance Construction Modeling. — Jim Goedert, John Bonsell, and Fasineh Samura; 11(2), 71-4 (2005).
Development of a Virtual Reality Structural Analysis System. — Mehdi Setareh, Doug A. Bowman, and Alex Kalita; 11(4), 156-64 (2005).
Application of a Virtual Environment System in Building Sciences Education. — Mehdi Setareh, Doug A. Bowman, Alex Kalita, Matthew Gracey, and John Lucas; 11(4), 165-72 (2005).

Indoor air pollution
Pilot Study for the Performance of a New Demand Control Ventilation System in Hong Kong. — Kwok-Wai Mui and Wai-Tin Chan; 11(3), 110-5 (2005).

Information management
Material Requirements Planning for a Manufactured Housing Facility. — Edgar M. Barriga, Jae G. Jeong, Makarand Hastak, and Matt Syal; 11(3), 91-8 (2005).

Insulation
Development of Energy-Efficient Concrete Buildings Using Recycled Plastic Aggregates. — M. Elzafraney, P. Soroushian, and M. Deru; 11(4), 122-30 (2005).

Inventories
Material Requirements Planning for a Manufactured Housing Facility. — Edgar M. Barriga, Jae G. Jeong, Makarand Hastak, and Matt Syal; 11(3), 91-8 (2005).

Laboratory tests
Interstitial Space Design in Modern Laboratories. — Sandra L. Vondrak and David R. Riley; 11(2), 60-70 (2005).

Life cycle cost
Interstitial Space Design in Modern Laboratories. — Sandra L. Vondrak and David R. Riley; 11(2), 60-70 (2005).

Life cycle costs
Operational Life-Cycle Assessment and Life-Cycle Cost Analysis for Water Use in Multioccupant Buildings. — Angela Arpke and Neil Hutzler; 11(3), 99-109 (2005).

Life cycles
Energy and Emission Estimator: A Prototype Tool for Designing Canadian Houses. — R. Baouendi, R. Zmeureanu, and B. Bradley; 11(2), 50-9 (2005).
Operational Life-Cycle Assessment and Life-Cycle Cost Analysis for Water Use in Multioccupant Buildings. — Angela Arpke and Neil Hutzler; 11(3), 99-109 (2005).

Lighting
Two Studies that Investigate the Impact of Ceiling and Wall Reflectance Values on LEED Credits. — Youn Ju Yoon and Martin Moeck; 11(3), 81-90 (2005).

Manufactured home
Material Requirements Planning for a Manufactured Housing Facility. — Edgar M. Barriga, Jae G. Jeong, Makarand Hastak, and Matt Syal; 11(3), 91-8 (2005).

Manufactured homes
Manufactured Housing Production Layout Design. — N. Mehrotra, M. Syal, and M. Hastak; 11(1), 25-34 (2005).

Manufacturing facilities
Manufactured Housing Production Layout Design. — N. Mehrotra, M. Syal, and M. Hastak; 11(1), 25-34 (2005).

Measurement
Airtightness Testing of Two- and Three-Unit Buildings with a Single Fan. — Sebastiano DePani and Paul Fazio; 11(1), 19-24 (2005).

Mechanical systems
Interstitial Space Design in Modern Laboratories. — Sandra L. Vondrak and David R. Riley; 11(2), 60-70 (2005).

Moisture content
Investigation into the Variations of Moisture Content of Two Buildings Constructed with Light Earth Walls. — Steven Goodhew, Richard Griffiths, and Chris Morgan; 11(4), 147-55 (2005).
Monitoring
Investigation into the Variations of Moisture Content of Two Buildings Constructed with Light Earth Walls. — Steven Goodhew, Richard Griffiths, and Chris Morgan; 11(4), 147-55 (2005).
Nebraska
Integrating Laser Scanning and Rapid Prototyping to Enhance Construction Modeling. — Jim Goedert, John Bonsell, and Fasineh Samura; 11(2), 71-4 (2005).
Operating costs
Operational Life-Cycle Assessment and Life-Cycle Cost Analysis for Water Use in Multioccupant Buildings. — Angela Arpke and Neil Hutzler; 11(3), 99-109 (2005).
Owners
Promising New Tool for Stakeholder Interaction. — Cynthia J. Wilson Orndoff; 11(4), 139-46 (2005).
Parameters
Choosing the Right Parameter for Single-Duct Constant Air Volume System Supply Air Temperature Reset. — G. Wei, D. E. Claridge, W. D. Turner, and M. Liu; 11(3), 76-80 (2005).
Parks
Integrated Evaluation of a Photovoltaic Installation. — Ali M. Malkawi, Yun Kyu Yi, and Geoffrey Lewis; 11(4), 131-8 (2005).
Pennsylvania
Integrated Evaluation of a Photovoltaic Installation. — Ali M. Malkawi, Yun Kyu Yi, and Geoffrey Lewis; 11(4), 131-8 (2005).
Plumbing
Interstitial Space Design in Modern Laboratories. — Sandra L. Vondrak and David R. Riley; 11(2), 60-70 (2005).
Operational Life-Cycle Assessment and Life-Cycle Cost Analysis for Water Use in Multioccupant Buildings. — Angela Arpke and Neil Hutzler; 11(3), 99-109 (2005).
Preservation
Static Behavior of a Historic Roof Structure. — C. Thelin and K.-G. Olsson; 11(2), 39-49 (2005).
Production
Manufactured Housing Production Layout Design. — N. Mehrotra, M. Syal, and M. Hastak; 11(1), 25-34 (2005).
Project management
Promising New Tool for Stakeholder Interaction. — Cynthia J. Wilson Orndoff; 11(4), 139-46 (2005).
Prototypes
Energy and Emission Estimator: A Prototype Tool for Designing Canadian Houses. — R. Baouendi, R. Zmeureanu, and B. Bradley; 11(2), 50-9 (2005).
Integrating Laser Scanning and Rapid Prototyping to Enhance Construction Modeling. — Jim Goedert, John Bonsell, and Fasineh Samura; 11(2), 71-4 (2005).
Questionnaires
Pilot Study for the Performance of a New Demand Control Ventilation System in Hong Kong. — Kwok-Wai Mui and Wai-Tin Chan; 11(3), 110-5 (2005).
Recycling
Development of Energy-Efficient Concrete Buildings Using Recycled Plastic Aggregates. — M. Elzafraney, P. Soroushian, and M. Deru; 11(4), 122-30 (2005).
Reflectance
Two Studies that Investigate the Impact of Ceiling and Wall Reflectance Values on LEED Credits. — Youn Ju Yoon and Martin Moeck; 11(3), 81-90 (2005).
Rehabilitation
Promising New Tool for Stakeholder Interaction. — Cynthia J. Wilson Orndoff; 11(4), 139-46 (2005).
Roofs
Lessons Learned from Failures of the Building Envelope in Windstorms. — Joseph E. Minor; 11(1), 10-3 (2005).
Static Behavior of a Historic Roof Structure. — C. Thelin and K.-G. Olsson; 11(2), 39-49 (2005).
Rural areas
Promising New Tool for Stakeholder Interaction. — Cynthia J. Wilson Orndoff; 11(4), 139-46 (2005).
Serviceability
Walking-Induced Floor Vibration Case Studies. — Linda M. Hanagan; 11(1), 14-8 (2005).
Shopping centers
Assessment of Fire Hazard in Small News Agents in Transport Terminal Halls. — W. K. Chow; 11(1), 35-8 (2005).
Simulation models
Development of a Virtual Reality Structural Analysis System. — Mehdi Setareh, Doug A. Bowman, and Alex Kalita; 11(4), 156-64 (2005).
Soil structure
Investigation into the Variations of Moisture Content of Two Buildings Constructed with Light Earth Walls. — Steven Goodhew, Richard Griffiths, and Chris Morgan; 11(4), 147-55 (2005).
Solar energy
Development of Energy-Efficient Concrete Buildings Using Recycled Plastic Aggregates. — M. Elzafraney, P. Soroushian, and M. Deru; 11(4), 122-30 (2005).
Integrated Evaluation of a Photovoltaic Installation. — Ali M. Malkawi, Yun Kyu Yi, and Geoffrey Lewis; 11(4), 131-8 (2005).
Standards
Two Studies that Investigate the Impact of Ceiling and Wall Reflectance Values on LEED Credits. — Youn Ju Yoon and Martin Moeck; 11(3), 81-90 (2005).
Static structural analysis
Static Behavior of a Historic Roof Structure. — C. Thelin and K.-G. Olsson; 11(2), 39-49 (2005).
Structural analysis
Development of a Virtual Reality Structural Analysis System. — Mehdi Setareh, Doug A. Bowman, and Alex Kalita; 11(4), 156-64 (2005).
Application of a Virtual Environment System in Building Sciences Education. — Mehdi Setareh, Doug A. Bowman, Alex Kalita, Matthew Gracey, and John Lucas; 11(4), 165-72 (2005).
Structural behavior
Static Behavior of a Historic Roof Structure. — C. Thelin and K.-G. Olsson; 11(2), 39-49 (2005).
Structural failures
Lessons Learned from Failures of the Building Envelope in Windstorms. — Joseph E. Minor; 11(1), 10-3 (2005).
Sustainable development
Investigation into the Variations of Moisture Content of Two Buildings Constructed with Light Earth Walls. — Steven Goodhew, Richard Griffiths, and Chris Morgan; 11(4), 147-55 (2005).
Terminal facilities
Assessment of Fire Hazard in Small News Agents in Transport Terminal Halls. — W. K. Chow; 11(1), 35-8 (2005).
Thermal energy
Development of Energy-Efficient Concrete Buildings Using Recycled Plastic Aggregates. — M. Elzafraney, P. Soroushian, and M. Deru; 11(4), 122-30 (2005).
Three-dimensional analysis
Static Behavior of a Historic Roof Structure. — C. Thelin and K.-G. Olsson; 11(2), 39-49 (2005).
Ventilation
Choosing the Right Parameter for Single-Duct Constant Air Volume System Supply Air Temperature Reset. — G. Wei, D. E. Claridge, W. D. Turner, and M. Liu; 11(3), 76-80 (2005).
Pilot Study for the Performance of a New Demand Control Ventilation System in Hong Kong. — Kwok-Wai Mui and Wai-Tin Chan; 11(3), 110-5 (2005).
Vibration
Walking-Induced Floor Vibration Case Studies. — Linda M. Hanagan; 11(1), 14-8 (2005).
Walls
Lessons Learned from Failures of the Building Envelope in Windstorms. — Joseph E. Minor; 11(1), 10-3 (2005).
Two Studies that Investigate the Impact of Ceiling and Wall Reflectance Values on LEED Credits. — Youn Ju Yoon and Martin Moeck; 11(3), 81-90 (2005).
Investigation into the Variations of Moisture Content of Two Buildings Constructed with Light Earth Walls. — Steven Goodhew, Richard Griffiths, and Chris Morgan; 11(4), 147-55 (2005).
Water conservation
Operational Life-Cycle Assessment and Life-Cycle Cost Analysis for Water Use in Multioccupant Buildings. — Angela Arpke and Neil Hutzler; 11(3), 99-109 (2005).
Windows
Lessons Learned from Failures of the Building Envelope in Windstorms. — Joseph E. Minor; 11(1), 10-3 (2005).

Author Index

Arpke, Angela
Operational Life-Cycle Assessment and Life-Cycle Cost Analysis for Water Use in Multioccupant Buildings. — Angela Arpke and Neil Hutzler; 11(3), 99-109 (2005).

Baouendi, R.
Energy and Emission Estimator: A Prototype Tool for Designing Canadian Houses. — R. Baouendi, R. Zmeureanu, and B. Bradley; 11(2), 50-9 (2005).

Barriga, Edgar M.
Material Requirements Planning for a Manufactured Housing Facility. — Edgar M. Barriga, Jae G. Jeong, Makarand Hastak, and Matt Syal; 11(3), 91-8 (2005).

Bonsell, John
Integrating Laser Scanning and Rapid Prototyping to Enhance Construction Modeling. — Jim Goedert, John Bonsell, and Fasineh Samura; 11(2), 71-4 (2005).

Bowman, Doug A.
Development of a Virtual Reality Structural Analysis System. — Mehdi Setareh, Doug A. Bowman, and Alex Kalita; 11(4), 156-64 (2005).
Application of a Virtual Environment System in Building Sciences Education. — Mehdi Setareh, Doug A. Bowman, Alex Kalita, Matthew Gracey, and John Lucas; 11(4), 165-72 (2005).

Bradley, B.
Energy and Emission Estimator: A Prototype Tool for Designing Canadian Houses. — R. Baouendi, R. Zmeureanu, and B. Bradley; 11(2), 50-9 (2005).

Burnett, E.
Housing Research Agenda for NSF-PATH. — M. Syal, M. Hastak, M. Mullens, S. Cramer, E. Burnett, T. Koebel, M. O'Brien, and C. Martin; 11(1), 1-7 (X) (2005).

Chan, Wai-Tin
Pilot Study for the Performance of a New Demand Control Ventilation System in Hong Kong. — Kwok-Wai Mui and Wai-Tin Chan; 11(3), 110-5 (T) (2005).

Chow, W. K.
Assessment of Fire Hazard in Small News Agents in Transport Terminal Halls. — W. K. Chow; 11(1), 35-8 (T) (2005).

Claridge, D. E.
Choosing the Right Parameter for Single-Duct Constant Air Volume System Supply Air Temperature Reset. — G. Wei, D. E. Claridge, W. D. Turner, and M. Liu; 11(3), 76-80 (2005).

Cramer, S.
Housing Research Agenda for NSF-PATH. — M. Syal, M. Hastak, M. Mullens, S. Cramer, E. Burnett, T. Koebel, M. O'Brien, and C. Martin; 11(1), 1-7 (X) (2005).

DePani, Sebastiano
Airtightness Testing of Two- and Three-Unit Buildings with a Single Fan. — Sebastiano DePani and Paul Fazio; 11(1), 19-24 (2005).

Deru, M.
Development of Energy-Efficient Concrete Buildings Using Recycled Plastic Aggregates. — M. Elzafraney, P. Soroushian, and M. Deru; 11(4), 122-30 (2005).

Elzafraney, M.
Development of Energy-Efficient Concrete Buildings Using Recycled Plastic Aggregates. — M. Elzafraney, P. Soroushian, and M. Deru; 11(4), 122-30 (2005).

Fazio, Paul
Airtightness Testing of Two- and Three-Unit Buildings with a Single Fan. — Sebastiano DePani and Paul Fazio; 11(1), 19-24 (2005).

Goedert, Jim
Integrating Laser Scanning and Rapid Prototyping to Enhance Construction Modeling. — Jim Goedert, John Bonsell, and Fasineh Samura; 11(2), 71-4 (2005).

Goodhew, Steven
Investigation into the Variations of Moisture Content of Two Buildings Constructed with Light Earth Walls. — Steven Goodhew, Richard Griffiths, and Chris Morgan; 11(4), 147-55 (2005).

Gracey, Matthew
Application of a Virtual Environment System in Building Sciences Education. — Mehdi Setareh, Doug A. Bowman, Alex Kalita, Matthew Gracey, and John Lucas; 11(4), 165-72 (2005).

Griffiths, Richard
Investigation into the Variations of Moisture Content of Two Buildings Constructed with Light Earth Walls. — Steven Goodhew, Richard Griffiths, and Chris Morgan; 11(4), 147-55 (2005).

Hanagan, Linda M.
Walking-Induced Floor Vibration Case Studies. — Linda M. Hanagan; 11(1), 14-8 (2005).

Hassanain, Mohammad A.
Guidelines for the Design of Water and Sewage Systems in Buildings. — Mohammad A. Hassanain; 11(4), 117-21 (2005).

Hastak, M.
Housing Research Agenda for NSF-PATH. — M. Syal, M. Hastak, M. Mullens, S. Cramer, E. Burnett, T. Koebel, M. O'Brien, and C. Martin; 11(1), 1-7 (X) (2005).
Manufactured Housing Production Layout Design. — N. Mehrotra, M. Syal, and M. Hastak; 11(1), 25-34 (2005).

Hastak, Makarand
Material Requirements Planning for a Manufactured Housing Facility. — Edgar M. Barriga, Jae G. Jeong, Makarand Hastak, and Matt Syal; 11(3), 91-8 (2005).

Hutzler, Neil
Operational Life-Cycle Assessment and Life-Cycle Cost Analysis for Water Use in Multioccupant Buildings. — Angela Arpke and Neil Hutzler; 11(3), 99-109 (2005).

Jeong, Jae G.
Material Requirements Planning for a Manufactured Housing Facility. — Edgar M. Barriga, Jae G. Jeong, Makarand Hastak, and Matt Syal; 11(3), 91-8 (2005).

Kalita, Alex
Development of a Virtual Reality Structural Analysis System. — Mehdi Setareh, Doug A. Bowman, and Alex Kalita; 11(4), 156-64 (2005).
Application of a Virtual Environment System in Building Sciences Education. — Mehdi Setareh, Doug A. Bowman, Alex Kalita, Matthew Gracey, and John Lucas; 11(4), 165-72 (2005).

Koebel, T.
Housing Research Agenda for NSF-PATH. — M. Syal, M. Hastak, M. Mullens, S. Cramer, E. Burnett, T. Koebel, M. O'Brien, and C. Martin; 11(1), 1-7 (X) (2005).

Lewis, Geoffrey
Integrated Evaluation of a Photovoltaic Installation. — Ali M. Malkawi, Yun Kyu Yi, and Geoffrey Lewis; 11(4), 131-8 (2005).

Liu, M.
Choosing the Right Parameter for Single-Duct Constant Air Volume System Supply Air Temperature Reset. — G. Wei, D. E. Claridge, W. D. Turner, and M. Liu; 11(3), 76-80 (2005).

Lucas, John
Application of a Virtual Environment System in Building Sciences Education. — Mehdi Setareh, Doug A. Bowman, Alex Kalita, Matthew Gracey, and John Lucas; 11(4), 165-72 (2005).

Malkawi, Ali M.
Integrated Evaluation of a Photovoltaic Installation. — Ali M. Malkawi, Yun Kyu Yi, and Geoffrey Lewis; 11(4), 131-8 (2005).

Martin, C.
Housing Research Agenda for NSF-PATH. — M. Syal, M. Hastak, M. Mullens, S. Cramer, E. Burnett, T. Koebel, M. O'Brien, and C. Martin; 11(1), 1-7 (X) (2005).

Mehrotra, N.
Manufactured Housing Production Layout Design. — N. Mehrotra, M. Syal, and M. Hastak; 11(1), 25-34 (2005).

Minor, Joseph E.
Lessons Learned from Failures of the Building Envelope in Windstorms. — Joseph E. Minor; 11(1), 10-3 (2005).

Moeck, Martin
Two Studies that Investigate the Impact of Ceiling and Wall Reflectance Values on LEED Credits. — Youn Ju Yoon and Martin Moeck; 11(3), 81-90 (2005).

Morgan, Chris
Investigation into the Variations of Moisture Content of Two Buildings Constructed with Light Earth Walls. — Steven Goodhew, Richard Griffiths, and Chris Morgan; 11(4), 147-55 (2005).

Mui, Kwok-Wai
Pilot Study for the Performance of a New Demand Control Ventilation System in Hong Kong. — Kwok-Wai Mui and Wai-Tin Chan; 11(3), 110-5 (T) (2005).

Mullens, M.
Housing Research Agenda for NSF-PATH. — M. Syal, M. Hastak, M. Mullens, S. Cramer, E. Burnett, T. Koebel, M. O'Brien, and C. Martin; 11(1), 1-7 (X) (2005).

O'Brien, M.
Housing Research Agenda for NSF-PATH. — M. Syal, M. Hastak, M. Mullens, S. Cramer, E. Burnett, T. Koebel, M. O'Brien, and C. Martin; 11(1), 1-7 (X) (2005).

Olsson, K.-G.
Static Behavior of a Historic Roof Structure. — C. Thelin and K.-G. Olsson; 11(2), 39-49 (2005).

Orndoff, Cynthia J. Wilson
Promising New Tool for Stakeholder Interaction. — Cynthia J. Wilson Orndoff; 11(4), 139-46 (2005).

Parfitt, M. Kevin
Comparison of Student and Practitioner Viewpoints Relative to First Employment Opportunities for Architectural Engineering Students. — M. Kevin Parfitt; 11(1), 8-9 (2005).
Editor's Note. — M. Kevin Parfitt; 11(3), 75 (2005).

Riley, David R.
Interstitial Space Design in Modern Laboratories. — Sandra L. Vondrak and David R. Riley; 11(2), 60-70 (2005).

Samura, Fasineh
Integrating Laser Scanning and Rapid Prototyping to Enhance Construction Modeling. — Jim Goedert, John Bonsell, and Fasineh Samura; 11(2), 71-4 (2005).

Setareh, Mehdi
Development of a Virtual Reality Structural Analysis System. — Mehdi Setareh, Doug A. Bowman, and Alex Kalita; 11(4), 156-64 (2005).
Application of a Virtual Environment System in Building Sciences Education. — Mehdi Setareh, Doug A. Bowman, Alex Kalita, Matthew Gracey, and John Lucas; 11(4), 165-72 (2005).

Soroushian, P.
Development of Energy-Efficient Concrete Buildings Using Recycled Plastic Aggregates. — M. Elzafraney, P. Soroushian, and M. Deru; 11(4), 122-30 (2005).

Syal, M.
Housing Research Agenda for NSF-PATH. — M. Syal, M. Hastak, M. Mullens, S. Cramer, E. Burnett, T. Koebel, M. O'Brien, and C. Martin; 11(1), 1-7 (X) (2005).
Manufactured Housing Production Layout Design. — N. Mehrotra, M. Syal, and M. Hastak; 11(1), 25-34 (2005).

Syal, Matt
Material Requirements Planning for a Manufactured Housing Facility. — Edgar M. Barriga, Jae G. Jeong, Makarand Hastak, and Matt Syal; 11(3), 91-8 (2005).

Thelin, C.
Static Behavior of a Historic Roof Structure. — C. Thelin and K.-G. Olsson; 11(2), 39-49 (2005).

Turner, W. D.
Choosing the Right Parameter for Single-Duct Constant Air Volume System Supply Air Temperature Reset. — G. Wei, D. E. Claridge, W. D. Turner, and M. Liu; 11(3), 76-80 (2005).

Vondrak, Sandra L.
Interstitial Space Design in Modern Laboratories. — Sandra L. Vondrak and David R. Riley; 11(2), 60-70 (2005).

Wei, G.
Choosing the Right Parameter for Single-Duct Constant Air Volume System Supply Air Temperature Reset. — G. Wei, D. E. Claridge, W. D. Turner, and M. Liu; 11(3), 76-80 (2005).

Yi, Yun Kyu
Integrated Evaluation of a Photovoltaic Installation. — Ali M. Malkawi, Yun Kyu Yi, and Geoffrey Lewis; 11(4), 131-8 (2005).

Yoon, Youn Ju
Two Studies that Investigate the Impact of Ceiling and Wall Reflectance Values on LEED Credits. — Youn Ju Yoon and Martin Moeck; 11(3), 81-90 (2005).

Zmeureanu, R.
Energy and Emission Estimator: A Prototype Tool for Designing Canadian Houses. — R. Baouendi, R. Zmeureanu, and B. Bradley; 11(2), 50-9 (2005).